## IN THE CLAIMS

Please amend the claims as follows:

- 1. (Currently Amended) An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a fusion polypeptide comprising a reporter protein and at least two different heterologous protein destabilization sequences, wherein one heterologous protein destabilization sequence is SEQ ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, or SEQ ID NO:98 which fusion polypeptide has a reduced half-life relative to a corresponding reporter protein which lacks the heterologous protein destabilization sequences and has a reduced half-life relative to each corresponding reporter protein which has one of the heterologous protein destabilization sequences.
- 2. (Currently Amended) An isolated nucleic acid molecule comprising a nucleic acid sequence comprising an open reading frame for a reporter protein and at least two heterologous destabilization sequences, wherein one of the heterologous destabilization sequences is a mRNA destabilization sequence and another is a heterologous protein destabilization sequence, wherein one heterologous protein destabilization sequence is SEQ ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, or SEQ ID NO:98.
- 3. (Previously Presented) An isolated nucleic acid molecule comprising a nucleic acid sequence comprising an open reading frame for a luciferase and at least one heterologous destabilization sequence, wherein a majority of codons in the open reading frame for the luciferase are codons which are preferentially employed in a mammalian host cell.
- (Original) The isolated nucleic acid molecule of claim 1, 2 or 3 further comprising a promoter operably linked to the nucleic acid sequence.

Filing Date: September 16, 2003
Title: RAPIDLY DEGRADED REPORTER FUSION PROTEINS

- (Original) The isolated nucleic acid molecule of claim 4 wherein the promoter is a regulatable promoter.
- (Original) The isolated nucleic acid molecule of claim 5 wherein the promoter is an inducible promoter.
- (Original) The isolated nucleic acid molecule of claim 5 wherein the promoter is a repressible promoter.
- (Original) The isolated nucleic acid molecule of claim 1 further comprising a heterologous mRNA destabilization sequence.
- (Original) The isolated nucleic acid molecule of claim 2 or 8 wherein the mRNA destabilization is 3' to the nucleic acid sequence.
- 10. (Currently Amended) The isolated nucleic acid molecule of claim 1 or 2 wherein the nucleic acid sequence encoding at least the reporter protein is optimized for expression in a [[host]] <u>eukaryotic</u> cell.
- 11. (Original) The isolated nucleic acid molecule of claim 1 or 2 wherein the reporter protein encodes a luciferase
- 12. (Withdrawn) The isolated nucleic acid molecule of claim 1 wherein the reporter protein encodes a beetle luciferase.
- 13. (Withdrawn) The isolated nucleic acid molecule of claim 12 wherein the reporter protein encodes a click beetle luciferase.
- 14. (Withdrawn) The isolated nucleic acid molecule of claim 1 wherein the reporter protein encodes an anthozoan luciferase protein.

- 15. (Original) The isolated nucleic acid molecule of claim 3 wherein the heterologous destabilization sequence is a protein destabilization sequence.
- 16. (Original) The isolated nucleic acid molecule of claim 3 wherein the heterologous destabilization sequence is a mRNA destabilization sequence.
- 17. (Original) The isolated nucleic acid molecule of claim 1, 2 or 3 wherein nucleic acid sequence comprises SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:66, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80, or a fragment thereof that encodes a fusion polypeptide with substantially the same activity as the corresponding full-length fusion polypeptide encoded by SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:66, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79 or SEQ ID NO:80.
- 18. (Original) The isolated nucleic acid molecule of claim 1 further comprising a mRNA destabilization sequence.
- 19. (Original) The isolated molecule of claim 18 wherein one protein destabilization sequence is a PEST sequence.
- 20. (Currently Amended) The isolated nucleic acid molecule of claim 1 or 2 <u>further</u> <u>comprising a wherein one</u> heterologous protein destabilization sequence <u>that</u> includes a sequence enriched in proline, glutamic acid, serine, and/or threonine residues (a PEST sequence).
- 21. (Withdrawn) The isolated nucleic acid molecule of claim 1 or 2 wherein one heterologous protein destabilization sequence is from the C-terminus of a mammalian omithine decarboxylase.

- 22. (Withdrawn) The isolated nucleic acid molecule of claim 1 or 2 wherein one heterologous protein destabilization sequence is a mutant ornithine decarboxylase sequence.
- 23. (Withdrawn) The isolated nucleic acid molecule of claim 21 wherein the mutant ornithine decarboxylase sequence has an amino acid substitution at a position corresponding to position 426, 427, 428, 430, 431, 433, 434, 439 or 448 of murine ornithine decarboxylase.
- 24 (Canceled)
- 25. (Original) The isolated nucleic acid molecule of claim 1 or 2 wherein one heterologous protein destabilization sequence is at the C-terminus of the reporter protein.
- (Withdrawn) The isolated nucleic acid molecule of claim 1 or 2 wherein one 26 heterologous protein destabilization sequence at the N-terminus of the reporter protein.
- 27. (Withdrawn) The isolated nucleic acid molecule of claim 1 or 2 further comprising an ubiquitin polypeptide at the N-terminus of the fusion polypeptide.
- 28 (Withdrawn) The isolated nucleic acid molecule of claim 27 wherein one of the heterologous protein destabilization sequences is at the C-terminus of ubiquitin.
- 29. (Withdrawn) The isolated nucleic acid molecule of claim 28 wherein one of the heterologous protein destabilization sequences comprises a glutamic acid or arginine residue.
- 30 (Original) The isolated nucleic acid molecule of claim 10 which encodes a fusion polypeptide with a half-life of expression of about 20 minutes.
- 31. (Original) The isolated nucleic acid molecule of claim 10 which encodes a fusion polypeptide with a half-life of expression of about 30 minutes.

- (Original) The isolated nucleic acid molecule of claim 15 wherein the heterologous protein destabilization sequence is a PEST sequence.
- 33. (Withdrawn) The isolated nucleic acid molecule of claim 15 wherein the heterologous protein destabilization sequence is from the C-terminus of a mammalian ornithine decarboxylase.
- 34. (Previously Presented) The isolated nucleic acid molecule of claim 15 wherein the heterologous protein destabilization sequence is SEQ ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97 or SEQ ID NO:98.
- 35. (Original) A vector comprising the nucleic acid molecule of claim 1, 2 or 3.
- (Original) The vector of claim 35 wherein the nucleic acid molecule is operably linked to a regulatable promoter.
- 37. (Original) The vector of claim 36 wherein the promoter is a repressible promoter.
- 38. (Withdrawn) The vector of claim 34 wherein the nucleic acid molecule comprises SEQ ID NO:49, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80 or a fragment thereof that encodes a fusion polypeptide with substantially the same activity as the corresponding full-length fusion polypeptide encoded by SEQ ID NO:49, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79 or SEQ ID NO:80.
- (Withdrawn) A fusion polypeptide encoded by the nucleic acid molecule of claim 1, 2 or
   3.

- 40. (Withdrawn) The fusion polypeptide of claim 38 wherein the reporter protein is chloramphenicol acetyltransferase, luciferase, beta-glucuronidase or beta-galactosidase.
- 41. (Original) A host cell comprising the vector of claim 35.
- 42. (Original) The host cell of claim 41 which is stably transfected with the vector that encodes a fusion polypeptide comprising a luminescent protein.
- 43. (Original) The host cell of claim 42 wherein the signal emitted by the host cell comprising the vector is greater than the signal emitted by a corresponding host cell comprising a vector which lacks one or more of the destabilization sequences.
- 44. (Original) A stable cell line comprising the vector of claim 35 wherein the signal emitted by the reporter protein is equal to or greater than a signal emitted by a corresponding stable cell line comprising a vector which lacks one or more of the heterologous destabilization sequences.
- 45. (Withdrawn) A method to detect a reporter protein in a cell, comprising:
  - a) contacting a cell with the vector of claim 35; and
- b) detecting or determining the presence or amount of the reporter protein in the cell or a lysate thereof.
- 46. (New) The isolated nucleic acid molecule of claim 1 or 2 wherein the reporter protein is green fluorescent protein, chloramphenicol acetyltransferase, beta-glucuronidase or betagalactosidase.
- 47. (New) The isolated nucleic acid molecule of claim 1 wherein the two different protein destabilization sequences are C-terminal to the reporter protein.